



CREATIVE AWL

leather patterns

**ASSEMBLY
INSTRUCTIONS**

BRIEFCASE

PREPARED BY:

Patryk Ku, Creative Awl

LET'S GO:

PRINT THE PATTERN

01

- Open your pattern in Adobe Acrobat Reader. Set up options of your printer on A4 paper with 0 margins.
- Every page has a measure - check does it fit.
- Every printed page MUST HAVE a border around! If doesn't - move paper left/ right and print again

FOLLOW VIDEO INSTRUCTIONS

02

<https://youtu.be/HbOyq5fArKU>
Cutting pattern:
https://youtu.be/2TNUl_Tlk64

03

GIVE A SMILE TO OTHER PEOPLE!

Give a ready product to you family or freind. Give them a smile :)))

04

CHECK OUR AWESOME FB GROUP

Go there to share your work. The best works ill share on my social. Also get more DIY&ideas. We will support you & answer all questions.

<https://www.facebook.com/groups/CreativeAwlPatterns>

YOU NEED

TOOLS

- sharp knife
- hole puncher (1,2-1,5mm)
or pricking irons or awl
 - hammer
 - 2 needles
 - paper tape
 - ruler
 - a printer

MATERIALS

- Leather (preferable 5oz (2mm)
and 6-7 oz (2,5mm)
- Waxed thread (preferable 1 -
1,2mm)
- 2 x 20mm d-rings
- 2 x brass/metal 20mm loop
- 2 x 20mm belt buckles

GOOD LUCK

If you got ANY problem,- don't be shy
to ask directly on Etsy or
<https://www.facebook.com/CreativeAwl>
We are here for help :)

